# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--------------|-----|------------------|---------|------------|
| S1 | 7208 | ((receiv$3 or provid$3 or get$3) near5 (software or program or application or data)) and (authenticat$3 or authority or authoriz$3 or validat$3) and ((database or repository) near5 (application or program or software or data)) and ((transfer$3 or deliver$3 or offload$3 or transport$3 or transmit$4) near5 (application or program or data or software)) and ((software or application or program or data or file) near5 ((model same manufactur$3) or serial)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/05 15:40 |
| S2 | 7158 | S1 and ((timestamp or "time stamp" or time-stamp or data or time) near5 (application or program or software or file or package or data or message)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/05 15:41 |
| S3 | 319 | ((receiv$3 or provid$3 or get$3) near5 (software or program or application or data)) and (authenticat$3 or authority or authoriz$3 or validat$3) and ((database or repository) near5 (application or program or software or data)) and ((transfer$3 or deliver$3 or offload$3 or transport$3 or transmit$4) near5 (application or program or data or software)) and ((software or application or program or data or file) near5 (model same manufactur$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/06 10:03 |
| S4 | 317 | S3 and ((timestamp or "time stamp" or time-stamp or data or time) near5 (application or program or software or file or package or data or message)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/06 10:38 |
| S5 | 29 | S4 and (set-top-box or set-top-terminal or "set top box" or "set top terminal" or "set top") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/10 12:21 |

# EAST Search History

| | | | | | | |
|---|---|---|---|---|---|---|
| S6 | 27 | S4 and ("717"/$.ccls. or "725"/$.ccls.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/06 15:19 |
| S7 | 1237 | ((download$3 or offload$3 or stream$3 or forward$3 or transfer$4 or deliver$3 or transport$3 or send$3) near5 (data or information or file or application or program or software or content) near5 (timestamp or time-stamp or "time stamp")) and (database or repository) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/06 16:11 |
| S8 | 108 | S7 and authenticat$3 and ((application or program or data or information or file or content) near5 (associat$3 or correspond$3 or relat$3 or specific) near5 (manufact$5 or model or type)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/06 16:17 |
| S9 | 7 | S8 and ("717"/$.ccls. or "725"/$.ccls.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/06 16:18 |
| S26 | 532 | (load$3 or process$3) near5 (file or profile) near5 type near5 (host or node or device or terminal or set-top-box or set-top-terminal or "set top box" or "set top terminal" or "set top" or set-top) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/10 13:39 |
| S27 | 52 | S26 and ((GUI or "user interface" or interface) near5 (input or parameter)) and ((creat$3 or generat$3 or compos$3) near5 configur$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/10 14:51 |
| S28 | 35 | S26 and (GUI or "user interface" or interface) and (set-top-box or set-top-terminal or "set top box" or "set top terminal" or "set top" or set-top) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/10 14:52 |
| S29 | 539879 | (download$3 or install$5 or load$3) near5 (software or application or file or data or program or content or service) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/10 16:06 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S30 | 49 | S29 and ((profile or file) near5 (specific or type) near5 (host or node or terminal or device or computer or computing or "set top box" or set-top-box or set-top-terminal or "set top terminal" or set-top or "set top")) and ((GUI or "user interface" or interface) near5 input near5 service) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/10 15:47 |
| S31 | 1 | S29 and ((profile or file) near5 (specific or type) near5 (host or node or terminal or device or computer or computing or "set top box" or set-top-box or set-top-terminal or "set top terminal" or set-top or "set top")) and ((GUI or "user interface" or interface) near5 input near5 service near5 configur$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/10 15:43 |
| S32 | 815 | S29 and ((load$3 or access$3 or open$3) near5 (profile or file) near5 (specific or type) near5 (host or node or terminal or device or computer or computing or "set top box" or set-top-box or set-top-terminal or "set top terminal" or set-top or "set top")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/10 15:47 |
| S33 | 11 | S32 and ((GUI or "user interface" or interface) near5 input near5 service) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/10 15:48 |
| S34 | 161 | S32 and ((GUI or "user interface" or interface) near5 input ) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/10 16:00 |
| S36 | 16 | S34 and ("717"/$.ccls. or "725"/$.ccls.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/10 15:54 |
| S37 | 35 | S34 and ((generat$3 or creat$3 or compos$3 or produce or producing) near5 configur$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/10 16:00 |

# EAST Search History

| | | | | | | |
|---|---|---|---|---|---|---|
| S38 | 21 | S34 and ("set top box" or set-top-box or set-top-terminal or "set top terminal" or set-top or "set top") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/10 16:05 |
| S39 | 4512 | ((download$3 or install$5 or load$3) near5 (profile or file)) and ("set top box" or set-top-box or set-top-terminal or "set top terminal" or set-top or "set top") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/10 16:11 |
| S40 | 30 | ((download$3 or install$5 or load$3) near5 (profile or file)) and ("set top box" or set-top-box or set-top-terminal or "set top terminal" or set-top or "set top") and ((GUI or "user interface" or interface) near5 input near5 service) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/10 16:12 |
| S41 | 433 | ((download$3 or install$5 or load$3) near5 (profile or file)) and ("set top box" or set-top-box or set-top-terminal or "set top terminal" or set-top or "set top") and ((profile or file) near5 (specific or type) near5 (host or node or terminal or device or computer or computing or "set top box" or set-top-box or set-top-terminal or "set top terminal" or set-top or "set top")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/10 16:11 |
| S42 | 181 | S41 and ((GUI or "user interface" or interface) near5 input) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/10 16:13 |